



Silicon View Interactive Touch Screen

The Silicon View interactive touch screen with Android 13 built.



The Silicon View Interactive Touch Screen ranges from a 65-inch to 110-inch display that allows for interactive and engaging presentations, meetings, and collaborations. With its touch capabilities, users can easily navigate and interact with content on the screen, making it ideal for educational settings, corporate boardrooms, and trade shows. The high-quality 4k display provides a crisp images and vibrant colours, ensuring a visually stunning experience for all users.

Silicon View Interactive

Touch Screen 65 inches

Product specification:

Touch system:

- Touch technology: Multiple Infrared scanning technology
- Touch type: 20-point touch
- Drive mode: HID Free drive
- Touch Screen Sensor Mode: Finger, writing pen, hand with gloves or other non-transparent touch sensitive medium
- Resolution of touch screen: 32768 x 32768 (pixels)
- Communication Port: USB 2.0
- Minimum Recognition Point Size: 2mm
- Response Time (Single Touch): ≤10ms
- Touch Accuracy: ±1mm

Panel:

- Diagonal Size: 65 inches
- Display resolution: 3840 x 2160 pixels
- Frame rate: 60 Hz
- Brightness: 320 cd/m² max.
- Aspect ratio: 16:9
- Contrast ratio (static): 4000:1
- Viewing Angle: 178° / 178°
- Orientation: landscape
- Service life: > 30000 Hours

Glass:

- Glass type: Ag anti-glare glass
- Thickness: 4 mm

Connectivity:

- Video input (digital): 1x HDMI 2.1, 2x HDMI 2.0, 1x Display Port 1.2
- Video output (digital): 1x HDMI 2.1
- Audio input: 1x Mini Jack
- Audio output: 1x Mini Jack, 1x SPDIF
- RS-232: 1
- USB: 5x USB 3.0 (type A), 2x USB 2.0 (type A), 2x USB-C

- USB Touch: 3
- Wired network: 2x 1Gbps
- Wireless network: WiFi 5 (2.4 & 5 GHz)
- Module-slots: 1x OPS-slot (UHD@60Hz)

Sound:

- 8Ω / 10W x 2

Operating system:

- System version: Android 13
- Memory: 8 GB
- On-board storage: 128 GB

Power:

- Power supply: AC 100-240 50 / 60 Hz
- Power consumption (in operation excluding OPS): ≤210W
- Standby consumption: ≤0.5W

Dimensions & Weight:

- Product dimensions (W x H x D): 1485.2 x 905.7 x 88.3 mm
- Product weight: 37 kg
- Vesa mount (W x H): 500 x 400 mm, M8 Screw

Product accessories:

- Accessories included: writer passive pens, remote control, power cable (UK).

Logistics information:

- Box size (W x H x D): 1600 x 1030 x 200 mm
- Gross weight: 45.75 kg

Silicon View Interactive Touch Screen 75 inches

Product specification:

Touch system:

- Touch technology: Multiple Infrared scanning technology
- Touch type: 20-point touch
- Drive mode: HID Free drive
- Touch Screen Sensor Mode: Finger, writing pen, hand with gloves or other non-transparent touch sensitive medium
- Resolution of touch screen: 32768 x 32768 (pixels)
- Communication Port: USB 2.0
- Minimum Recognition Point Size: 2mm
- Response Time (Single Touch): ≤10ms
- Touch Accuracy: ±1mm

Panel:

- Diagonal Size: 75 inches
- Display resolution: 3840 x 2160 pixels
- Frame rate: 60 Hz
- Brightness: 350 cd/m² max.
- Aspect ratio: 16:9
- Contrast ratio (static): 4000:1
- Viewing Angle: 178° / 178°
- Orientation: landscape
- Service life: > 30000 Hours

Glass:

- Glass type: Ag anti-glare glass
- Thickness: 4 mm

Connectivity:

- Video input (digital): 1x HDMI 2.1, 2x HDMI 2.0, 1x Display Port 1.2
- Video output (digital): 1x HDMI 2.1
- Audio input: 1x Mini Jack
- Audio output: 1x Mini Jack, 1x SPDIF
- RS-232: 1
- USB: 5x USB 3.0 (type A), 2x USB 2.0 (type A), 2x USB-C

- USB Touch: 3
- Wired network: 2x 1Gbps
- Wireless network: WiFi 5 (2.4 & 5 Ghz)
- Module-slots: 1x OPS-slot (UHD@60Hz)

Sound:

- 8Ω / 10W x 2

Operating system:

- System version: Android 13
- Memory: 8 GB
- On-board storage: 128 GB

Power:

- Power supply: AC 100-240 50 / 60 Hz
- Power consumption (in operation excluding OPS): ≤300W
- Standby consumption: ≤0.5W

Dimensions & Weight:

- Product dimensions (W x H x D): 1707.6 x 1030.9 x 88.3 mm
- Product weight: 50.6 kg
- Vesa mount (W x H): 600 x 400 mm, M8 Screw

Product accessories:

- Accessories included: writer passive pens, remote control, power cable (UK).

Logistics information:

- Box size (W x H x D): 1855 x 1170 x 200 mm
- Gross weight: 62 kg

Silicon View Interactive Touch Screen 85 inches

Product specification:

Touch system:

- Touch technology: Multiple Infrared scanning technology
- Touch type: 20-point touch
- Drive mode: HID Free drive
- Touch Screen Sensor Mode: Finger, writing pen, hand with gloves or other non-transparent touch sensitive medium
- Resolution of touch screen: 32768 x 32768 (pixels)
- Communication Port: USB 2.0
- Minimum Recognition Point Size: 2mm
- Response Time (Single Touch): ≤10ms
- Touch Accuracy: ±1mm

Panel:

- Diagonal Size: 85 inches
- Display resolution: 3840 x 2160 pixels
- Frame rate: 60 Hz
- Brightness: 350 cd/m² max.
- Aspect ratio: 16:9
- Contrast ratio (static): 4000:1
- Viewing Angle: 178° / 178°
- Orientation: landscape
- Service life: > 30000 Hours

Glass:

- Glass type: Ag anti-glare glass
- Thickness: 4 mm

Connectivity:

- Video input (digital): 1x HDMI 2.1, 2x HDMI 2.0, 1x Display Port 1.2
- Video output (digital): 1x HDMI 2.1
- Audio input: 1x Mini Jack
- Audio output: 1x Mini Jack, 1x SPDIF
- RS-232: 1
- USB: 5x USB 3.0 (type A), 2x USB 2.0 (type A), 2x USB-C

- USB Touch: 3
- Wired network: 2x 1Gbps
- Wireless network: WiFi 5 (2.4 & 5 Ghz)
- Module-slots: 1x OPS-slot (UHD@60Hz)

Sound:

- 8Ω / 10W x 2

Operating system:

- System version: Android 13
- Memory: 8 GB
- On-board storage: 128 GB

Power:

- Power supply: AC 100-240 50 / 60 Hz
- Power consumption (in operation excluding OPS): ≤420W
- Standby consumption: ≤0.5W

Dimensions & Weight:

- Product dimensions (W x H x D): 1953.56 x 1177.9 x 88.3 mm
- Product weight: 66 kg
- Vesa mount (W x H): 800 x 400 mm, M8 Screw

Product accessories:

- Accessories included: writer passive pens, remote control, power cable (UK).

Logistics information:

- Box size (W x H x D): 2095 x 1320 x 200 mm
- Gross weight: 82 kg

Silicon View Interactive

Touch Screen 98 inches

Product specification:

Touch system:

- Touch technology: Multiple Infrared scanning technology
- Touch type: 20-point touch
- Drive mode: HID Free drive
- Touch Screen Sensor Mode: Finger, writing pen, hand with gloves or other non-transparent touch sensitive medium
- Resolution of touch screen: 32768 x 32768 (pixels)
- Communication Port: USB 2.0
- Minimum Recognition Point Size: 2mm
- Response Time (Single Touch): ≤10ms
- Touch Accuracy: ±1mm

Panel:

- Diagonal Size: 98 inches
- Display resolution: 3840 x 2160 pixels
- Frame rate: 60 Hz
- Brightness: 350 cd/m² max.
- Aspect ratio: 16:9
- Contrast ratio (static): 1200:1
- Viewing Angle: 178° / 178°
- Orientation: landscape
- Service life: > 30000 Hours

Glass:

- Glass type: Ag anti-glare glass
- Thickness: 4 mm

Connectivity:

- Video input (digital): 1x HDMI 2.1, 2x HDMI 2.0, 1x Display Port 1.2
- Video output (digital): 1x HDMI 2.1
- Audio input: 1x Mini Jack
- Audio output: 1x Mini Jack, 1x SPDIF
- RS-232: 1
- USB: 5x USB 3.0 (type A), 2x USB 2.0 (type A), 2x USB-C

- USB Touch: 3
- Wired network: 2x 1Gbps
- Wireless network: WiFi 5 (2.4 & 5 GHz)
- Module-slots: 1x OPS-slot (UHD@60Hz)

Sound:

- 8Ω / 10W x 2

Operating system:

- System version: Android 13
- Memory: 8 GB
- On-board storage: 128 GB

Power:

- Power supply: AC 100-240 50 / 60 Hz
- Power consumption (in operation excluding OPS): ≤500W
- Standby consumption: ≤0.5W

Dimensions & Weight:

- Product dimensions (W x H x D): 2220 x 1324 x 105.7 mm
- Product weight: 87.1 kg
- Vesa mount (W x H): 900 x 600 mm, M8 Screw

Product accessories:

- Accessories included: writer passive pens, remote control, power cable (UK).

Logistics information:

- Box size (W x H x D): 2358 x 1485 x 280 mm
- Gross weight: 111 kg



Silicon CPV_{Ltd}

Silicon View Interactive Touch Screen 110 inches

Product specification:

Touch system:

- Touch technology: Multiple Infrared scanning technology
- Touch type: 20-point touch
- Drive mode: HID Free drive
- Touch Screen Sensor Mode: Finger, writing pen, hand with gloves or other non-transparent touch sensitive medium
- Resolution of touch screen: 32768 x 32768 (pixels)
- Communication Port: USB 2.0
- Minimum Recognition Point Size: 2mm
- Response Time (Single Touch): ≤10ms
- Touch Accuracy: ±1mm

Panel:

- Diagonal Size: 110 inches
- Display resolution: 3840 x 2160 pixels
- Frame rate: 60 Hz
- Brightness: 350 cd/m² max.
- Aspect ratio: 16:9
- Contrast ratio (static): 1200:1
- Viewing Angle: 178° / 178°
- Orientation: landscape
- Service life: > 30000 Hours

Glass:

- Glass type: Ag anti-glare glass
- Thickness: 4 mm

Connectivity:

- Video input (digital): 1x HDMI 2.1, 2x HDMI 2.0, 1x Display Port 1.2
- Video output (digital): 1x HDMI 2.1
- Audio input: 1x Mini Jack
- Audio output: 1x Mini Jack, 1x SPDIF
- RS-232: 1
- USB: 5x USB 3.0 (type A), 2x USB 2.0 (type A), 2x USB-C

- USB Touch: 3
- Wired network: 2x 1Gbps
- Wireless network: WiFi 5 (2.4 & 5 GHz)
- Module-slots: 1x OPS-slot (UHD@60Hz)

Sound:

- 8Ω / 15W x 2

Operating system:

- System version: Android 13
- Memory: 8 GB
- On-board storage: 128 GB

Power:

- Power supply: AC 100-240 50 / 60 Hz
- Power consumption (in operation excluding OPS): ≤700W
- Standby consumption: ≤0.5W

Dimensions & Weight:

- Product dimensions (W x H x D): 2500.8 x 1477.57 x 107.9 mm
- Product weight: 113.1 kg
- Vesa mount (W x H): 1000 x 400 mm, M8 Screw

Product accessories:

- Accessories included: writer passive pens, remote control, power cable (UK).

Logistics information:

- Box size (W x H x D): 2665 x 1595 x 295 mm
- Gross weight: 144 kg